

The logo for JCC, consisting of the letters 'JCC' in a bold, italicized, sans-serif font. The letters are white with a slight gradient and shadow effect, giving them a three-dimensional appearance. The background is a dark purple with a pattern of glowing white dots of varying sizes, some of which are blurred to create a bokeh effect.

Lighting for **today**, designs for **tomorrow**

# *Commercial*

[www.jcc-lighting.co.uk](http://www.jcc-lighting.co.uk)

<b>Product</b>	<b>Page</b>
<i>Breera Recessed LED Flat Panel</i>	<b>46</b>
<i>Breera Suspended LED Flat Panel</i>	<b>48</b>
<i>Auzon LED High Bay</i>	<b>49</b>

03

# Breera LED Recessed Flat Panel

Family of high performance recessed LED flat panels  
 300 x 300, 600 x 600 and 300 x 1200 versions available  
 40,000 hours average life  
 Integral driver  
 High output suitable for commercial applications  
 Ideal for corridors, office and ancillary areas  
 Photometry data available on the JCC website  
 Supplied with support wire anchorage eyelets  
 Recommended for horizontal installations

 JC71198



46

LED available in:



**Finishes**

Aluminium



**Classification**

 240V 50Hz

**Construction**

Body: Extruded aluminium trim, with opal diffuser

**Nearest Equivalent**

JC71198 = 3 x 14W T5 Fluorescent

JC71199 = 3 x 14W T5 Fluorescent

Code:	Description:	Total Wattage:
JC71197	LED Panel 300 x 300	11W
JC71198	LED Panel 600 x 600	28W
JC71199	LED Panel 300 x 1200	45W



Lighting for today, designs for tomorrow


Tel: 01243 838999  
 Fax: 01243 838998

www.jcc-lighting.co.uk  
 email: sales@jcc-lighting.co.uk




# Breera LED Recessed Flat Panel


▼ JC71197



▼ JC71198



▼ JC71199



# Breera LED Linear Suspended Flat Panel

Suspended 300 x 1200 LED flat panel  
 25,000 hours average life  
 Integral driver  
 High output suitable for commercial applications  
 Ideal for corridors, office and ancillary areas  
 Dimmable  
 Complete with wireless remote dimmer control

JC71259



48

LED available in:




### Finishes

Silver




### Classification

  240V

### Construction

Body: Mild steel  
 Frame: Extruded aluminium trim, with opal diffuser



Wireless remote dimmer control

Code:	Description:	Total Wattage:
JC71259	LED linear suspended flat panel	56W

# Auzon LED High Bay

LED available in:



**Finishes**

Silver




**Classification**

240V 50Hz

**Construction**

Body: Die-cast aluminium



80W high output LED high bay pendant downlight  
 86° flood beam angle  
 Crisp white light  
 Ideal for lighting warehousing, retail and showroom spaces  
 Photometry data available on the JCC website

JC54017



**Nearest Equivalent**

JC54017 = 2 x 42W Compact Fluorescent  
 = 1 x 70W Metal Halide

Code:	Description:	Total Wattage:
JC54017	LED High Bay	80W



Tel: 01243 838999 | www.jcc-lighting.co.uk  
 Fax: 01243 838998 | email: sales@jcc-lighting.co.uk



Lighting for today, designs for tomorrow